Covanta Huntsville

2022 Facility Performance

Landfill Diversion

MSW Processed 160,000 tons Enough 19 to fill:


19,500 garbage trucks spanning **74** miles

cks Covanta s Huntsville

anta 🕈 💷

AL, GA, and TN Tri-Point

Steam Generation



Net GHG Avoidance



0.4 tons of net CO2e avoided* for every ton of waste diverted from landfill




53,000 metric tons of GHGs equivalent to: Removing **13 thousand** vehicles for 1 year Displacing **66 million** pounds of coal

Environmental Compliance


Annual Average Emissions Up to 99% below federal emissions standards**

Continuous Emissions Monitoring 99.967% compliant with CEMS emissions standards



How Do Our Emissions Compare to Other Sources in the County?

Local air emissions*** in Madison County, AL



* GHGs, or greenhouse gases, are represented in CO2 equivalents using global warming potentials (GWPs) to compare the warming power of different gases. This analysis uses the 100-yr GWP for methane of 28 from the IPCC's 5th assessment report. WTE facilities in the U.S. reduce lifecycle emissions by an average of 1 ton of CO2e per ton of MSW diverted from landfills. The data presented here reflects facility-specific operating data and the local electrical grid, which can differ from the national average. More information on the calculation can be found at https://www.covanta.com/waste-to-energy-vs-landfill

** 2020-2022 Average Annual Emissions compared to federal guidelines for existing facilities (40 CFR 60 Subpart Cb). Facility may be subject to more stringent requirements by permit or in accordance with other federal guidelines.


*** Based on the 2020 US EPA National Emissions Inventory; the most recently released complete inventory.

Where available, the facility's 2020 emissions were replaced with the most recently reported 2022 emissions.




Covanta Tulsa

2021 Facility Performance



How Do Our Emissions Compare to Other Sources in the County?

Local air emissions*** in Tulsa County, OK



* GHGs, or greenhouse gases, are represented in CO2 equivalents using global warming potentials (GWPs) to compare the warming power of different gases. This analysis uses the 100-yr GWP for methane of 28 from the IPCC's 5th assessment report. WTE facilities in the U.S. reduce lifecycle emissions by an average of 1 ton of CO2e per ton of MSW diverted from landfills. The data presented here reflects facility-specific operating data and the local electrical grid, which can differ from the national average. More information on the calculation can be found at https://www.covanta.com/waste-to-energy-vs-landfill

** 2020-2022 Average Annual Emissions compared to federal guidelines for existing facilities (40 CFR 60 Subpart Cb). Facility may be subject to more stringent requirements by permit or in accordance with other federal guidelines.

*** Based on the 2020 US EPA National Emissions Inventory; the most recently released complete inventory.

Where available, the facility's 2020 emissions were replaced with the most recently reported 2022 emissions.

